

04 506 P44 STU09

UNIVERSIDADE DE LISBOA

Faculdade de Ciências

Departamento de Química e Bioquímica



INSTITUTO NACIONAL  
DE SAÚDE  
DR. RICARDO JORGE  
BIBLIOTECA  
L.N.º 15334

**Study of the Nonsense-Mediated Decay (NMD)  
Mechanism in the Human  $\alpha$ -Globin mRNA**

Francisco José Cabral Pereira

Doutoramento em Bioquímica  
(Genética Molecular)

2009

Tese orientada por:

Doutora Luísa Romão Loison (Instituto Nacional de Saúde Dr. Ricardo Jorge)

Professora Doutora Margarida D. Amaral (Faculdade de Ciências da  
Universidade de Lisboa)

# Index

|   |       |
|---|-------|
| Prefácio  | iii   |
| Acknowledgements  | vii   |
| Index   | ix    |
| Resumo  | xiii  |
| Palavras-chave  | xviii |
| Abstract  | xix   |
| Keywords  | xx    |
| Abbreviations   | xxi   |
| <br>  |       |
| Chapter I – General Introduction                        | 23    |
| I.1. Human globin genes                                 | 25    |
| I.2. Eukaryotic mRNA translation processes              | 29    |
| I.2.1. Initiation                                       | 29    |
| I.2.2. Elongation                                       | 31    |
| I.2.3. Termination and recycling                        | 32    |
| I.2.4. Reinitiation                                     | 33    |
| I.3. Nonsense-mediated mRNA decay                       | 34    |
| I.3.1. PTC recognition                                  | 35    |
| I.3.1.1. A rule for PTC recognition in mammals          | 36    |
| I.3.1.1.1. Exceptions                                   | 37    |
| I.3.1.2. The exon-junction complex                      | 38    |
| I.3.1.3. Main NMD <i>trans</i> -acting factors          | 42    |
| I.3.1.4. The singular first round of translation        | 44    |
| I.3.2. NMD activation                                   | 45    |
| I.3.3. Degradation mechanisms for nonsense-mutated mRNA | 47    |
| I.3.4. Poly(A)-binding protein influence on NMD         | 49    |
| I.3.5. Subcellular localization of NMD                  | 51    |

|   |    |
|---|----|
| I.3.6. Physiological gene expression regulation by NMD  | 53 |
| I.3.7. Clinical perspective of NMD  | 54 |
| Chapter II – Human $\alpha$ 2-globin nonsense-mediated mRNA decay induced by a novel $\alpha$ -thalassemia frameshift mutation at codon 22                    | 59 |
| Remark  | 61 |
| II.1. Summary   | 63 |
| II.2. Introduction  | 63 |
| II.3. Patient and Methods   | 64 |
| II.3.1. Hematological studies   | 64 |
| II.3.2. DNA sequence analysis   | 65 |
| II.3.3. Construction of expression vectors  | 65 |
| II.3.4. Cell culture and transfections  | 65 |
| II.3.5. RNA isolation   | 66 |
| II.3.6. Reverse transcriptase-PCR analysis  | 66 |
| II.3.7. Ribonuclease protection assays (RPA)  | 66 |
| II.4. Results and Discussion  | 67 |
| II.5. Acknowledgements  | 71 |
| Chapter III – The extension of NMD inhibition in human $\alpha$ - and $\beta$ -globin transcripts bearing a short ORF is modulated by its secondary structure | 73 |
| Remark  | 75 |
| III.1. Summary  | 77 |
| III.2. Introduction   | 77 |
| III.3. Materials and Methods  | 79 |
| III.3.1. Construction of expression vectors   | 79 |
| III.3.2. Cell culture and transfections   | 85 |
| III.3.3. Transfection of siRNA  | 85 |
| III.3.4. RNA isolation  | 86 |

|  |     |
|--|-----|
| III.3.5. Ribonuclease protection assay (RPA)   | 86  |
| III.3.6. Western blot analysis   | 87  |
| III.3.7. Semi-quantitative RT-PCR  | 87  |
| III.3.8. Luminometry assay   | 88  |
| III.4. Results and Discussion  | 88  |
| III.4.1. The AUG-proximity effect occurs in human $\alpha$ -globin mRNA and extends further downstream when compared with the same effect in $\beta$ -globin | 88  |
| III.4.2. Translation reinitiation plays a modest role concerning NMD inhibition in human $\alpha$ -globin transcripts carrying a PTC in exon 1               | 93  |
| III.4.3. For $\alpha$ -globin transcripts carrying a PTC at the 3'-part of exon 1, extended NMD inhibition depends on the upstream sequence                  | 98  |
| III.4.4. The secondary structure of the ORF influences NMD efficiency for $\alpha$ - and $\beta$ -globin transcripts carrying a PTC at the 3'-part of exon 1 | 101 |
| III.5. Acknowledgements  | 107 |
| <br>   |     |
| Chapter IV – General Discussion  | 109 |
| IV.1. General Discussion   | 111 |
| IV.2. Concluding remarks   | 116 |
| IV.3. Future perspectives  | 117 |
| <br>   |     |
| Chapter V – References   | 119 |